TABLE 23. DIAGNOSIS OF READMISSIONS WHO DIED IN HOSPITALS FOR MENTAL DISORDERS, 1942, BY AGE AT DEATH AND SEX

DIAGNOSES	TOTAL			0-14 Years			20-24 Years			25-29 Years			30-34 Years			35-39 Years			40-44 Years			45-49 Years			50-54 Years			55-59 Years			60-64 Years			65-69 Years			70-74 Years			75-79 Years			80-84 Years			85-89 Years			90 Years and Over		
	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T
With syphilitic meningo-encephalitis	11	2	13													1	-	1	2	-	2	2	-	2	2	-	2	3	1	4	1	-	1				-	1	1												
With other forms of syphilis	1	4	5																			-	1	1	1	-	1	-	1	1				-	1	1	-	1	1												
With other infectious diseases	-	1	1																												-	1	1																		
Alcoholic psychoses	15	4	19																2	-	2	1	-	1				1	-	1	3	-	3	-	1	1	2	-	2	3	1	4	3	2	5						
Traumatic psychoses	3	-	3																												1	-	1	2	-	2															
With cerebral arteriosclerosis	32	29	61																						-	1	1	2	1	3	6	5	11	7	7	14	9	6	15	6	7	13	2	1	3	-	1	1			
With other disturbances of circulation	4	2	6																						1	1	2	-	1	1	1	-	1	1	-	1	1	-	1												
With convulsive disorders (epilepsy)	18	8	26				1	1	2							-	1	1	-	1	1	5	-	5	2	-	2	2	-	2	5	1	6	1	2	3	-	1	1	1	1	2	1	-	1						
Senile psychoses	24	18	42																												-	1	1	1	3	4	4	-	4	10	3	13	5	4	9	3	4	7	1	3	4
Involutional psychoses	5	9	14																						-	1	1	-	1	1	1	1	2	1	1	2	1	4	5	1	-	1	-	1	1	1	-	1			
Due to other metabolic diseases, etc.	2	2	4																						-	1	1	1	1	2													1	-	1						
Due to new growth	1	-	1																						1	-	1																								
With organic changes of nervous system	12	2	14				1	-	1	1	-	1							2	1	3	1	-	1	2	-	2	1	-	1	1	-	1	-	1	1	1	-	1	1	-	1				1	-	1			
Manic-depressive psychoses	24	27	51							1	-	1	-	1	1				1	1	2	2	2	4	2	2	4	1	-	1	4	4	8	6	6	12	4	4	8	3	4	7	-	3	3						
Dementia praecox	68	67	135				2	-	2	3	1	4	6	2	8	7	3	10	9	2	11	8	4	12	5	4	9	5	8	13	5	11	16	8	11	19	1	9	10	7	6	13	1	4	5				1	2	3
Paranoia and paranoid conditions	6	5	11																1	-	1				1	-	1				1	-	1	1	1	2	-	1	1	1	1	2	1	2	3						
With psychopathic personality	3	2	5							1	-	1																1	-	1							-	1	1	-	1	1				1	-	1			
With mental deficiency	11	9	20	-	1	1										1	-	1	3	1	4	1	-	1	1	2	3	1	-	1	2	3	5	1	1	2				-	1	1									
Undiagnosed psychoses	2	-	2																												2	-	2							-	1	1	1	-	1						
Without psychosis	5	2	7													1	-	1				1	-	1				1	-	1				2	-	2	-	2	2												
Total With Mental Disorder	242	191	433	-	1	1	4	1	5	6	1	7	6	3	9	9	4	13	20	6	26	20	7	27	18	12	30	18	14	32	33	27	60	29	35	64	23	28	51	33	25	58	15	17	32	6	5	11	2	5	7
Total Without Mental Disorder	5	2	7													1	-	1				1	-	1				1	-	1				2	-	2	-	2	2												
Grand Total	247	193	440	-	1	1	4	1	5	6	1	7	6	3	9	10	4	14	20	6	26	21	7	28	18	12	30	19	14	33	33	27	60	31	35	66	23	30	53	33	25	58	15	17	32	6	5	11	2	5	7

Note: No cases in the 15-19 Years group.